








Since 1993, SOYEE SINGAPORE has been producing a wide range of cleanroom products and services tailored to the disk drive, electronic, semiconductor, pharmaceutical, healthcare and consumer market.

SOYEE has an established distribution network with sales offices strategically located in Malaysia, Thailand, China, Indonesia and Australia and represents leading major brands such as ALMA, Coventry, Kimberly-Clark, Chemtronics, Achilles, Charleswater and Sakurai.

SOYEE's key strategy has been to meet its' customers' diverse needs for Static Control, Packaging Protection, Dust Control, Precision Parts, Conversion Services, Roll Goods and Equipment, by maintaining strict quality controls, competitive prices and unsurpassed customer service.

Hello World!



Disposable

A

A	Coverall with	Hood

Material : SMS, Tyvek and Spunbond Sizes : Small, Medium, Large, X-Large

B. Lab Coat

Material : SMS, Tyvek and Spunbond Sizes : Small, Medium, Large, X-Large B



C. Head Cover

Material : Rayon, Spunbond Sizes : 20" 21"24' Colors : White, Blue, Pink, Yellow, Green

D. Surgeon's Cap

Material : Spunbond Colors : Blue, Green



F. Shoe Cover





E, Isolation Gown Material : Spunbond, Spunlace Colors : White, Yellow, Blue Material : CPE Blue and White, Spunbond Normal and Non-Skid, SMS, Tyvek

G. Surgical Gown Material : Spunbond, Spunlace Colors : White, Yellow, Blue H. Surgical Face Mask Available : 4-tie and elastic ear loop



I. Beard Mask

Material : Spunbond Sizes : 48 x 23 cm, 30 x 23 cm

J. Arm Sleeve Protector Material : Tyvek, SMS

Disposable



K. Paper Face Mask Available : 1-ply and 2-ply Packed : 100 per box

L. Dust Mask Colors : White, Blue, Pink M. Snood Cap Material : Spunbond Available : White-one size N. Peaked Cap Material : Spunbond Available : White-one size



O. Peaked Airy Cap Material : Spunbond Available : White-one size



P. Hair Nets Colors : White, Black



Q. Mob Cap Material : Spunbond Colors : White, Pink, Blue, Yellow Available : 21"



R. MacDonald Paper Cap Packed : 50 per bundle




Head Gear













BSS-series of static Dissipative Clean Shoes are made of PVC (Poly Vinyl Chloride) outsole by injection. ESD control by entire personal grounding (volume resistivity :10⁶ - 10⁸ ohms).



BSB-series of static Dissipative Clean Boots are for Cleanroom use. Depending on their gaiter's fabric, the boots are full protection of particles generation as well as static control. Gaiters' fabric can be decided same as fabric for coveralls.



BCS-series of Conductive Clean Shoes are specially developed for ESD control in more seriously static control required area. Volume resistance of the shoe's outsole is $10^{4-}10^{6}$ ohms. And its Static Decay time from 5,000 volts to 0 volt is less than 0.01 second.



Finger Cots



A Black Static Dissipative Finger cots

B Nitrile Finger Cots - Cut Type





Mask Orange

Pink Antistatic Finger Cots

Gloves



A Static Dissipative Gloves 10mm



B Static Dissipative Gloves With Vinyl Palm



D Cleanroom Vinyl Gloves



E Extreme temperature Gloves 13"-300C



Half ESD With PVC Polka Dot Gloves



G Thin Pu Gloves with ECF Stripe



B Plam Fit Pu Gloves





Cleanroom Latex Gloves







K Fancy Leather Gloves

Nylon Tricot Gloves





O PVC Laminated Gloves





White Cotton Gloves




R PE Gloves

S Latex Examintion Gloves



Packaging Control



Cleanroom Amide and Silicon Free Bag

G Anti-Rust Bag

SMT Essentials



Code	Wiper Size	Packaging	Wipers Per Case
A 34155	4 1/2" X 81/2"	280/BOX • 60 Boxes/Case	16,800
B 34256	15" X 17"	140/BOX • 15 Boxes/Case	2,100
KMWIPES® Deli	cate Task Wipers		
Code	Wiper Size	Packaging	Wipers Per Case
C 34133	12" X 12"	196/BOX • 15 Boxes/Case	2,940
D 34144	15" X 17"	140/BOX • 15 Boxes/Case	2,100
KIMWIPES® EX-	Lens Cleaning Station (Fe	aturing Kimwipes® EX-L Delicate Task W	ipers)
Code	Wiper Size	Packaging	Wipers Per Case
E 34622	4 1/2" X 81/2" 8 Oz. Cleaner	560 Wipers/Station 6 Stations/Case	3,360
F 34644	4 1/2" X 81/2" 16 Oz. Cleaner	1,120 Wipers/Station 4 Stations/Case	4,480

EX-L Delicate Task Wipers Extra low in lint All wipes have the Anti-Stat LintGuard Polyshield

SMT Stencil Rolls

Stencil Rolls are used to remove residual solder paste from the bottom side of PC Board stencils. It is made from high strength polyester cellulose that is solvent resistant and highly absorbent. Available for MPM, DEK, FUJI, Panasonic and TDK machines.



BEMCOT

The standard wipers of BEMCOT series can be used flexibly in maintanance of devices, the cleaning of screens and for wiping inside and around a cleanroom.



PuriWipe ALL Purpose Towels 32 x 34 cm, 100 pieces per box



SAKURAI

K-100 nonwoven spunlace K-300 nonwoven spunlace 4555 series Polyester Cellulose 6201 series Polyester Knitted (Sealed Edge Laundered) 6205 seroes Polyester Knitted (Sealed Edge) 9000 series MicroFiber

Sticky Roller

Short sticky rollers are used for PC boards and long sticky roller can be used for ceiling and walls.

Handling Des



are used and all tweezers are tested in accordancce to material specification laboratory, hospital, microelectronic, engineering etc. electronic, computer, watch and

Chemo precision plastic tweezers are jewellery food industry, chemical and specially developed for use in the test plating industry, clean rooms



and quality standards.







Sticky Roller

Cleanroom Pen



Clean-Step Sticky Mat



First-Step Sticky Mat

Dirt control specialists





Cleanroom Tapes



Cleanroom Labels


Cleanroom Paper




Colored Copying A4 Paper Available in pink, yellow, green and white.



Pocket Notebooks These compact notebooks fit right in your pocket.



Computer Forms These standard computer forms Dustless files for organizing enhance clearer print, enabling more accurate data management.



ESD Files documents.

Conventry



Microfibre Wipes



Polyester Wipes



Cellulose / Polyester wipes



Nylon Wipes



Cotton Twill Wipes



Foam Wipes



M. R. Technology Swab™



31040 ESD 31040 CON 310401 ESD 310401 CON



Diamond Swab™





Pillow - Tip™ Swabs






Cleanroom Scrubbers™







Utility Swabs™



43160



49280



42170



6" Wooden Stem Cotton Swab



6″ regular Double - End



6" Cone - Shaped



3" Baby Swab



3" Fine Baby Swab

42190



3" Cone - Shaped

20

Chemtronics







Manufacturing To An ISO 9002 Quality System



Dusters Cleaner Degreasers Contact Cleaners / Lubricants Flux Removers Desoldering Braids Circuit Works - Repair / Prototype Tools












CircuitWorks® brand's comprehensive line of conveniently packaged and precision dispensing rework and repair products makes circuit board repair and prototyping faster, easier and more accurate.

Advanced-formula materials packaged in unique delivery systems ensure superior performance and pinpoint accuracy.


The full range of products meets all of the technician's needs for electronic rework and prototyping - repairing, cleaning, protecting, lubricating, bonding and restoring electrical conductivity to circuit boards and components.

21

Static Control



Static Ionising Bar







Static Ionising Nozzies

Static Ionising Guns


Static Neutralising Brush

Ionising Blower



Static Ionising Curtain S

Static Field Meter





Welding Curtain

Reflemie

Anti-Static Curtain







Conductive Mat


Ground Lead Kit





Cordless Wrist Strap

Heel Grounder



Anti-Static Clean Brush

Soldering Sponge

Equipments



Stainless Steel Shelving





Stainless Steel Air Nozzle

Aluminium Maps Length: 1.5m

1+5



Clean Booth



1

Model: CHEM-HEPA 2448

Chemco HEPA filter modules are used for particular free environment. The aerodynamic and low profile housing with special extruded aluminum frame ensures leak proof operation. It is design for continues operation with very little maintenance and only periodic washing of the prefilter is required.

Product Range and Performance


Operating noise level at 58 Dba. Achieving cleanliness levels from Class 10 to Class 100000 air (Conditions according to Federal Standard 209E0. The module included a Variable Speed Controller to adjust the airflow and specific velocities either from room side or the filter-housing top.







High Efficiency Air Filter





Laminar Flow Work Station

Anti-Static Cleanroom Chair



Stainless Steel Stool




Special PU Liquid Injection Moulding

Conductive or static dissipative PVC tile

- Factory approved PVC tiles in several colors
- Comply with industry electrical resistance test metods described in ESD 7.1 and NFPA99.





Raised Floor Benefits:

- Applicable for cleanroom (class 1000 over), office or equipment room
- •Interchangeable with other A1-panels
- Superbultimate load performance
- Excellent grounding performance
- Epoxy powder finish for life time extension
- Available with a variety of factory-approved surface coverings such as PVC tile, HPL (high pressure laminate) or carpet.



High quality parts for SMT and PTH auto insertion machine

Our company offers a full spectrum of remanufactured parts for Fuji, Panasert, Yamaha, TDK, Sanyo, KME and Citizen. Engineering design services for custom nozzles and parts are also available





FUJI NOZZLE FCP2, FCP3, FCP4, FCP6, FIP, FIP2, GL II & V

B PANASERT NOZZLE MV, MVII, MVIIC, MVIIF, MPA, MPAV, MK. MQ, HD, HDP



KME NOZZLE CM82C-MD/ME/MG, CM92R-M, CM86, CM92P-MT/ ML/LL, BD10S/12S, BD20



 SANYO NOZZLE
 YCM-41, TCM-60, TCM-1000, TCM-500 TCM-3000/3500, V820/V821/V822, TDM2-65, TDM1000, TDM3000



YAMAHA NOZZLE YV86D/YV100D, YVL88/YV100, YM51VMII, YM51VM, YM84, YV86, YV112.



OTHERS RANGE - NOZZLE JUKY, SONY, DYNAPERT, CKD, TDK, SAMSUNG, UNIVERSAL, TESCON.

Die Cut and Conversion Services



Speaker edge foams, speaker gasket, sealing material & sound absorbers foam, footing material.

Die-cutting materials (Sealing, Cushioning, protection, gasket & others)





HDD gasket & absorbent foam & CD ROM gasket foam.



Nonwoven Roll Goods

Nonwoven Needle Punch Available from 2.0 oz to 24 oz per są yard Any width up to 146 inches



Nonwoven Spunbond

Available from 12 gsm to 300 gsm. Maximum width 3.2 metres and minimum slitting is 2 cm. A complete range of colors and custom printing can be made. Special finishing treatments to the spunbond fabrics, such as hydrophilic and hydrophobic properties, antistatic, PE laminated, anti-bacteria and flame retardant.



Nonwoven Spuniace Available from 30 GSM to 120 GSM Any width up to 2.8 metres



Nonwoven Airlaid Available from 55 GSM to 98 GSM Any width up to 68"





Calendering

Soyee Singapore Pte Ltd (Main Office)

7 Kallang Place #05-02 Singapore 339153

 Tel:
 (65) 62944233

 Fax:
 (65) 62954638

 E-mail:
 soyee@magix.com.sg

Soyee Technology Sdn Bhd (K.L.)

31, Jalan Angklung 33/20, Shah Alam Technology Park, Seksyen 33, 40400 Shah Alam, Selangor Darul Ehsan

 Tel:
 (603) 5217872

 Fax:
 (603) 5214202

 E-mail:
 soyee@tm.net.my

Soyee Technology Sdn Bhd (Penang)

5-G-6, Halaman Murni Bayan Lepas, 11900 Pulau Pinang

 Tel:
 (604) 6447192

 Fax:
 (604) 6426673

 E-mail:
 soyee@tm.net.my

CV. Soyee Indonesia

Komp. Mercu Lautan Blok A No. 5 Batam 29432 - Indonesia

Tel: 011-778-458996 Fax: 011-778-458996

Soyee Technology Sdn Bhd (J.B.)

No. 21, Jalan Bayu 2/4 Taman Perindustrian Tampoi Jaya 81200 Johor Bahru, Malaysia

Tel:	(607) 2380308
Fax:	(607) 2387808
E-mail:	soyeejb@po.jaring.my

Soyee Australia Pty Ltd

Unit 7, 65 Marigold Street Revesby, NSW 2212

 Tel
 : (61-2)
 9792
 8893

 Fax
 : (61-2)
 9792
 8896

 E-mail:
 info@soyee.com.au

 www.soyee.com.au